

Amendments to the Claims:

The following listing of claims will replace all prior versions, and listing, of claims in the application:

1. (Currently Amended) A method for imaging an array of discrete reaction sites on the surface of a solid support; to detect the presence of molecules in reaction sites on the array, ~~said molecules being detectably labelled,~~ comprising:

(i) imaging the array, ~~and~~

~~_____~~ (ii) ~~detecting-locating~~ a signal, using a reference search window, from a ~~first~~ reference molecule located on the solid support in a reference reaction site ~~corner of the array~~ at a known position in the array;

~~_____~~ (iii) aligning a reference inspection window based on the location of the signal,

~~(iiiv) separately aligning individual inspection windows of each of the discrete reaction sites with the location of the reference molecule, by reference to the first molecule, aligning an individual inspection window in registration with each discrete reaction site; and~~

~~(iiiv) determining the amount of detectable signal in each of the reference inspection window and the individual inspection windows of the discrete reaction sites, to thereby detect the presence of the molecules, wherein detection of the first molecule is carried out by aligning a first inspection window within a region of the support that includes the first molecule and searching within the window to detect the first molecule.~~

~~_____~~ wherein said molecules are detectably-labelled, and

~~_____~~ wherein each of the individual inspection windows corresponds to each of the discrete reaction sites.

2. (Canceled)

BEST AVAILABLE COPY

3. (Currently Amended) A method according to claim 1, wherein the first inspection window defines a two-dimensional array of pixels and ~~searching~~locating is carried out by scanning diagonally the array of pixels and determining values for the pixels.

4. (Previously Presented) A method according to claim 1, wherein, after detecting the first molecule, the first inspection window is repositioned or enlarged so that one or more of the discrete reaction sites is also located within the window, detecting the one or more sites and, by reference to the first molecule and the one or more sites, aligning a further inspection window in registration with each reaction site of the array.

5. (Canceled)

6. (Currently Amended) A method according to claim 1, wherein step (i) further comprises ~~detecting~~locating a second reference molecule in a reference reaction site~~located on the solid support~~ at a known position ~~with respect to~~in the array, and aligning the individual inspection windows of the discrete reaction sites by reference to both the location of the first reference molecule and the location of the second reference molecules.

7. (Previously Presented) A method according to claim 1, wherein imaging is carried out by detecting emitted radiation.

8. (Original) A method according to claim 7, wherein the radiation is chemiluminescent, bioluminescent or fluorescent.

9. (Previously Presented) A method according to claim 1, wherein the molecules of the array are capable of reacting with an analyte.

10. (Previously Presented) A method according to claim 1, wherein the molecules of the array are polynucleotides, antibodies, proteins or organic compounds.

11. (Previously Presented) A method according to claim 1, wherein the solid support is less than 1 cm².

BEST AVAILABLE COPY

12. (Previously Presented) A method according to claim 1, wherein the solid support is a ceramic, silicon or glass material.

13. (Previously Presented) A method according to claim 1, wherein the molecules of the array are covalently attached to the surface of the solid support.

14. (Currently Amended) A method according to claim 1, wherein the signal detected in step (i) must be above a pre-defined value in order to proceed with the remaining steps ~~(ii) and (iii)~~.

15-16. (Canceled)

BEST AVAILABLE COPY